

PATCH PANEL COULISSANT AVEC GESTION DE CÂBLES - FICHE TECHNIQUE

Posted on 27-05-2025 by barpaadminuser



FIBER OPTIC
SLIDING PATCH PANEL WITH CABLE MANAGEMENT

DESCRIPTION

barpa's Fiber Optic Sliding Patch Panel is a 19" rack-mountable solution designed for efficient fiber optic management. With a sliding drawer design and integrated cable management, it ensures easy access for installation and maintenance.

APPLICABLE STANDARDS
• EIA 19-inch • ISO/IEC 11801 • EN 50173-2



KEY FEATURES

Sliding Drawer Design with Cable Management	Ensures effortless access, depth adjustment, and user-friendly operation. The open holes in the brackets facilitate easier and more flexible installation in the rack.
High Capacity	Comes with a pre-installed cassette that handles 24 fiber splices. You can stack up to four cassettes in one panel, allowing you to manage up to 96 fibers.
Organizational Efficiency	The simple design makes it easy to use and the included accessories help to keep the fibers well-organized, according to the user's needs.

PHYSICAL SPECIFICATIONS

Adapter Type	SC Simplex / LC Duplex SC Duplex / LC Quadriplex
Thickness (mm)	1,2
Material	SPCC Steel
Color	Black (RAL 9005)
Dimensions (mm)	482,6 x 314,4 x 44,0
Weight (kg)	3,513
Admissible Quantity of Splice Cassette	4
Number of Splices per Cassette	24
Max Diameter of Cable (mm)	15
Rear cable entry	Multiple cable entries

This document is authored and owned by barpa. It is forbidden to reproduce in whole or in part without mentioning its authorship, as well as modification of its content or context. All specifications are subject to change without notice.
The pictures/drawings are merely illustrative.
More information: info@barpa.eu or in www.barpa.eu
datasheet n° b186_0 | date: 03/25
approved by: Ana Barbosa

